



# SUNCOM 32A

## Self-service order placement

Kiosk with 32" screen a device for self-service order placement, in a one or two sided variant designed for installation in the floor, in the floor/ceiling or on the wall. The device is dedicated for uninterrupted work.

The kiosk is equipped with a management system. WAVE Professional software allows to enable or disable kiosk elements or the entire device at the scheduled time. It is also used to control all accessories and sensors.



**Touch screen**



**Large Display**



**Anti-bacterial**

WIEŻO PRZYGOTOWANY  
SMAKUJE NAJLEPIEJ



# Customers' independence & time-saving shopping.



Ease of use



Increased sales



Quicker services



Happier Clients





### One kiosk solution to fit all your needs

Our family of kiosk is made for restaurants and bars. It can be mounted on the wall or self standing. It exists in simple or double sided version. It is guaranteed to provide full safety of use. Additionally, the kiosk can be equipped with many accessories and technologies to improve user experience or to fit your requirements.

**Modern design**  
Design is perfect to fit into any environment



**Protective Glass**  
Safety glass 4mm with anti-reflective layer



**Receipt Printer**  
Customers receive tickets and receipts directly




**Light Indication**  
To inform if the kiosk is in use or free



**Large Display**  
32" display for clear and easy menu selection



**Payment System**  
Integration of your payment solutions



## Technical parameters

<b>LCD Display</b>	32" LED IPS 32" Resolution 1920 x 1080
<b>Brightness</b>	400 nits
<b>Viewing Angle</b>	178° / 178°
<b>Touch screen</b>	Projected Capacitive Technology (PCT) Number of touch points: 10 (4ms Response time)
<b>Glass</b>	Safety glass 4mm with anti reflective/fingerprint/bacteria coating, water-repellent
<b>Housing</b>	Stainless steel
<b>Dimensions</b>	1262 Height x 506mm Width - 170mm depth for the double -sided variant - 150mm depth for the one-sided variant - 110mm depth for the wall mounted variant
<b>Kiosk management</b>	Active Power & Device Control with energy management, temperature control, ventilation
<b>Operating system</b>	Linux/Windows
<b>Power Consumption</b>	300w (one sided) / 500w (Double sided)